

**To:** Trakis, Lisa[Trakis.Lisa@epa.gov]  
**From:** Deborah Hoag  
**Sent:** Thur 6/13/2013 7:52:14 PM  
**Subject:** RE: pretreatment

Lisa,

Can we talk Friday afternoon? There is so much more to this story than I can possibly put in an email. Let me just say that they have been on my radar and reasons which seems to increase when least expected. If that is not good, give me until 4PM to get underway and call my cell 610-587-0461 so I can give you some basic information. Thanks.

Deb

Deborah A.S. Hoag, P.E.

Phone: 610-655-6121

Fax: 610-655-0223

Email: [Deborah.Hoag@readingpa.org](mailto:Deborah.Hoag@readingpa.org)

**From:** Trakis, Lisa [mailto:[Trakis.Lisa@epa.gov](mailto:Trakis.Lisa@epa.gov)]  
**Sent:** Thursday, June 13, 2013 11:21 AM  
**To:** [deborah.hoag@readingpa.org](mailto:deborah.hoag@readingpa.org)  
**Subject:** pretreatment

Hello Deb,

I hope you are doing well. I left you a voice message earlier regarding one of your industrial users. We will be reaching out to Paragon Optical Company and I have a few questions.

1. Do you have a point of contact at the facility, such as the Owner/President/CEO? I have

the mailing address from the annual report but not a point of contact.

2. Seems as if they have had penalties assessed by the City, but I don't see any record indicating that they've paid the penalties. Do you know if the penalties assessed were paid? \$900 in 2011 and \$2000 in 2012?

3. Lastly, Paragon was cited for failure to report in 2012. I believe the City did sample at Paragon? Can you provide a summary of any violations detected during sampling in 2012?

Thank you,

Lisa Trakis

NPDES Enforcement Branch (3WP42)

USEPA, Region 3

1650 Arch Street

Philadelphia, Pa 19103

phone: 215-814-5433

fax: 215-814-2318